

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20040192282"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 08:08
S2	4	"6,363,260".pn. "20020059425"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 08:04
S3	12132	resource near2 allocat\$3 and (mobile or cellular or cell or wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:53
S4	474	bootstrap adj process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:37
S5	49	S4 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:37
S6	49	S5 and (server or stor\$3 or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:37
S7	447	455/452.1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:08
S8	568	455/452.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:08
S9	559	S8 and "5"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:09
S10	12149	resource near2 allocat\$3 and (mobile or cellular or cell or wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:09
S11	474	bootstrap adj process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:09
S12	49	S11 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:09
S15	49	S12 and (server or stor\$3 or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:38

S16	0	S8 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:10
S17	378	S8 and (server or stor\$3 or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:13
S18	293	S17 and (application or app)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:10
S19	86	S8 and resource same (server or stor\$3 or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:33
S20	808	455/509.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:40
S21	12210	resource near2 allocat\$3 and (mobile or cellular or cell or wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:37
S22	476	bootstrap adj process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:39
S23	50	S22 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:39
S26	183	S21 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:40
S27	95	S26 and (application or app) and (server or stor\$3 or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:41
S28	26280	(data or information) with process\$3 with resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:55
S29	2505	S21 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:54
S30	526	resource near2 allocat\$3 and (mobile or cellular or cell or wireless) same (data or information) with process\$3 with resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:58
S31	13	S30 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:56

S32	569	455/452.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:56
S33	18	S30 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:56
S34	227	resource near2 allocat\$3 same (mobile or cellular or cell or wireless) same (data or information) with process\$3 with resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:58
S35	10	S34 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:10
S36	8	S34 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 09:58
S37	225	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (differ\$3 or vary\$3) with data with processing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:53
S38	20	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (differ\$3 or vary\$3) with data with processing with (resource or power)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 10:39
S39	83	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (differ\$3 or vary\$3) with data adj processing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 11:53
S40	76	S39 not S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:05
S41	318	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with shar\$3 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:06
S42	24	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with shar\$3 with processing with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 14:58
S43	28	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with shar\$3 with resource with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:03
S44	23	S43 not S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:11
S45	1505	star adj topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:11

S46	2	star adj topology same shar\$3 near2 resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:13
S47	44391	client adj server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:13
S48	571	client adj server same shar\$3 with resource with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:22
S49	5	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with client adj server same shar\$3 with resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:22
S50	1203	client same server same shar\$3 with resource with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:22
S51	14	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with client same server same shar\$3 with resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:22
S52	521	(server or database or stor\$3) with allocat\$3 with (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:29
S53	220	S52 and (common or shared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:07
S54	29	S52 same (common or shared)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:07
S55	8	S52 and (common or shared)and heterogeneous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:07
S56	38	(server or database or stor\$3) with allocat\$3 with resource with (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 07:33
S57	2	"6676336".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 07:33
S58	2	"6636733".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 07:36
S59	106	helferich.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 07:36

S60	12210	resource near2 allocat\$3 and (mobile or cellular or cell or wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:00
S61	476	bootstrap adj process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:00
S62	50	S61 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:00
S63	50	S62 and (server or stor\$3 or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:00
S64	135	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) and bootstrap adj process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:03
S65	6	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) same bootstrap adj process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:56
S66	22	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) same second adj application same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:12
S67	0	(allocat\$3 or assign\$3 or reserv\$3 or partition\$3) with (storage or memory or space) with each with (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:13
S68	0	(allocat\$3 or assign\$3 or reserv\$3 or partition\$3) with (storage or memory or space) with "each" with (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:13
S69	0	(allocat\$3 or assign\$3 or reserv\$3 or partition\$3) with (storage or memory or space) same "each" with (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:14
S70	1276	(allocat\$3 or assign\$3 or reserv\$3 or partition\$3) with (storage or memory or space) with (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:15
S71	0	(allocat\$3 or assign\$3 or reserv\$3 or partition\$3) with (storage or memory or space) with (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) same "each"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:14
S72	45	(allocat\$3 or assign\$3 or reserv\$3 or partition\$3) with (storage or memory or space) with resource with (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:36
S73	0	resource with managaer with (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:36

S74	0	resource with managaer same (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:36
S75	198	resource with manager same (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:36
S76	100	resource with manager with (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:52
S77	3	local with resource with manager with (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 11:38
S78	29	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (insufficient or "not" adj enough or inadequate) adj2 (memory or space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:06
S79	0	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) same (monito\$3 or examin\$3) with data adj resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:07
S80	163	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) same (monito\$3 or examin\$3) with resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:50
S81	34	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) same (monito\$3 or examin\$3) with resource with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:23
S84	513	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) same (monito\$3 or examin\$3) with process\$3 with data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:24
S85	111	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) same (monito\$3 or examin\$3) with data adj process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:32
S86	1	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) same (monito\$3 or examin\$3) with data adj process\$3 adj resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:32
S87	8	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) same (monito\$3 or examin\$3) with process\$3 adj resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:35
S88	19	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) same (determin\$3 or detect\$3) with process\$3 adj resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 09:10
S89	54	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with upload with (server or database or stor\$3) with (space or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:09

S90	1	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with upload with (server or database or stor\$3 or remote) with (save or create or conserve) with (space or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 09:33
S91	69	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with upload with (server or database or stor\$3 or remote) same (space or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 09:38
S92	15	S91 not S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 09:33
S93	11	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with send with (server or database or stor\$3 or remote) with (save or conserve or create) with (space or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 09:42
S94	15	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with send with (server or database or stor\$3 or remote) same (save or conserve or create) with (space or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 09:42
S95	25614	S94 ot S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 09:42
S96	4	S94 not S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 09:42
S97	134	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) same (eras\$3 or delet\$3) with download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:10
S98	279	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) same (eras\$3 or delet\$3) with (download\$3 or receiv\$3) with (memory or space or stor\$3) same (server or database or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:11
S99	198	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (eras\$3 or delet\$3) with (download\$3 or receiv\$3) with (memory or space or stor\$3) same (server or database or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:11
S10 0	188	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (eras\$3 or delet\$3) with (download\$3 or receiv\$3) with (memory or space or stor\$3) with(server or database or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:17
S10 1	1972	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (move or copy or send or transmit) with (download\$3 or receiv\$3) with (memory or space or stor\$3) with(server or database or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:19
S10 2	5	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (move or copy or send or transmit) with (download\$3 or receiv\$3) with (save or conserve) with (memory or space or stor\$3) with(server or database or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:20
S10 3	4	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (move or copy or send or transmit) with (download\$3 or receiv\$3) with (save or conserve) with (memory or space or stor\$3) with(server or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:20

S10 4	563	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (move or copy or send or transmit) with (download\$3 or receiv\$3) with (memory or space or stor\$3) with (server or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:20
S10 5	563	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (move or copy or send or transmit) with (download\$3 or receiv\$3) with (memory or space or stor\$3) with (server or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:20
S10 6	546	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (move or send or transmit) with (download\$3 or receiv\$3) with (memory or space or stor\$3) with (server or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:21
S10 7	14	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (move or send or transmit) with (download\$3 or receiv\$3) with create with (memory or space or stor\$3) with (server or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:26
S10 8	352	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (move or send or transmit or upload) near2 (database or server) with (memory or space or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:27
S10 9	3	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (move or send or transmit or upload) near2 (database or server) with (save or create) with (memory or space or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:28
S11 0	69	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (move or send or transmit or upload) near2 (database or server) with (memory or space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:30
S11 1	23	(mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit) with (move or send or transmit or upload) adj2 (database or server) with (memory or space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 10:30
S11 2	785	server with allocat\$3 same (resource or space or stor\$3) near (user or device or terminal or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:34
S11 3	210	server near2 allocat\$3 same (resource or space or stor\$3) near (user or device or terminal or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:28
S11 4	127	server near2 allocat\$3 with (resource or space or stor\$3) near (user or device or terminal or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:29
S11 5	180	server near2 allocat\$3 with (resource or space or stor\$3) near2 (user or device or terminal or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:28
S11 6	2	server near2 allocat\$3 with (resource or space or stor\$3) near (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:30
S11 7	2	server near2 allocat\$3 with (resource or space or stor\$3) near2 (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:31

S11 8	6	server near2 allocat\$3 same (resource or space or stor\$3) near2 (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:31
S11 9	10	server with allocat\$3 same (resource or space or stor\$3) near (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:37
S12 0	138	server with allocat\$3 same (resource or space or stor\$3) same (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:39
S12 1	20	server with allocat\$3 same (resource or space or stor\$3) near3 (mobile or cellular or cell or wireless) adj2 (device or terminal or phone or unit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 12:37
S12 2	10	S121 not S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:38